



INVESTOR IN PEOPLE

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP10 8QQ

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

Signed

Dated

14 May 2003

Patents Form 1/77

Patents Act 1977
(Rule 16)




28JUN02 ET25429-1 D00757
P01/77 0.00-0214954.0

1/77

Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road
Newport
South Wales
NP10 8QQ

1. Your reference

A10628GB - WL/lh

2. Patent application number

(The Patent Office will fill in this part)

28 JUN 2002

0214954.0

3. Full name, address and postcode of the or of each applicant (underline all surnames)

Acco UK Limited
Nepicar House
London Road
Wrotham Heath, Sevenoaks
Kent, TN15 7RS

Patents ADP number (*if you know it*)

If the applicant is a corporate body, give the country/state of its incorporation

United Kingdom

7 444 680002

4. Title of the invention

Improvements in Feeding Mechanisms

5. Name of your agent (*if you have one*)

Forrester Ketley & Co.

"Address for service" in the United Kingdom to which all correspondence should be sent (*including the postcode*)

Chamberlain House
Paradise Place
Birmingham
B3 3HP

Patents ADP number (*if you know it*)

133005

6. If you are declaring priority from one or more earlier patent applications, give the country and the date of filing of the or of each of these earlier applications and (*if you know it*) the or each application number

Country

Priority application number
(*if you know it*)

Date of filing
(*day / month / year*)

7. If this application is divided or otherwise derived from an earlier UK application, give the number and the filing date of the earlier application

Number of earlier application

Date of filing
(*day / month / year*)

8. Is a statement of inventorship and of right to grant of a patent required in support of this request? (*Answer 'Yes' if:*

- a) any applicant named in part 3 is not an inventor, or
 - b) there is an inventor who is not named as an applicant, or
 - c) any named applicant is a corporate body.
- See note (d))

Yes

Patents Form 1/77

9. Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

Description

4 ✓

Claim(s)

Abstract

Drawing(s)

1 + 1 ✓

10. If you are also filing any of the following, state how many against each item.

Priority documents

-

Translations of priority documents

-

Statement of inventorship and right to grant of a patent (*Patents Form 7/77*)

-

Request for preliminary examination and search (*Patents Form 9/77*)

-

Request for substantive examination (*Patents Form 10/77*)

-

Any other documents
(please specify)

-

11.

I/We request the grant of a patent on the basis of this application.

Signature

Forrester Ketley & Co.

Date

27 June 2002

Forrester Ketley & Co.

12. Name and daytime telephone number of person to contact in the United Kingdom

William Lally
0121 236 0484

Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered 'Yes' Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- For details of the fee and ways to pay please contact the Patent Office.

PATENTS ACT 1977

A10628GB-WL

Title: Improvements in Feeding Mechanisms

Description of Invention

This invention relates to improvements in feeding mechanisms. In particular, although not exclusively, this invention relates to improvements in feeding mechanisms for sheet materials, such as paper, which are fed into a device, such as a shredder, for processing therein. These mechanisms described hereinafter in relation to paper, but it will of course be appreciated that they could be used with many different types of sheet material.

Typically, in shredders, cutting discs are provided which themselves intermesh. Since these are mounted on rollers which rotate in opposite directions, they provide a nip into which paper can be fed, and draw paper through the shredder without the need for any further feeding mechanism. There are shredders, however, which operate on a different principle, for example the shredder described in our co-pending application UK 0210599.7, in which sheet material is shredded using rectilinear punches.

Typically feed rollers are used in such shredders to feed the paper into the shredding mechanism. The rollers are situated just before the shredding mechanism in the feed path of the paper, but, even so, when the edge of the paper leaves the rollers there is a small amount of paper left above the shredding mechanism which is not fed through. This problem can be minimised by siting the feed rollers as close as possible to the shredding mechanism, and by using gravity to assist the feed of the last part of the paper, but these solutions are not wholly satisfactory.

There is, therefore, a need for a continuous feed mechanism which can feed an entire piece of paper through such mechanisms.

According to this invention there is provided a shredder for sheet material comprising a shredding mechanism and an air feeding mechanism.

Use of an air feeding mechanism enables the sheet material to be fed completely through the shredding mechanism. The mechanism also has advantages in that the sheet material tends to stretch or crinkle less than when using a conventional mechanism. The air feeding mechanism also draws dust generated by the shredding process through the shredder where it is less likely to present a health hazard.

Preferably the air feeding mechanism comprises a suction means, which conveniently comprises a vacuum pump. Conveniently the pressure generated by the suction means is greater than 0.5 bar, preferably greater than 1 bar.

Conveniently an air flow path extends through the shredding mechanism, the suction means being preferably disposed after the shredding mechanism in the air flow path.

Preferably the air feeding mechanism comprises a collection means for collecting shredded particles, which conveniently comprises a permeable bag. Conveniently the collection means, or a further collection means, is also suitable for collecting dust generated during the shredding process.

Preferably the air feeding mechanism comprises a plurality of intermediate chambers disposed in the air flow path after the shredding mechanism and before the collection means.

Preferably the shredder further comprises feed rollers, which are conveniently located in the air flow path before the shredding mechanism. These assist the initial feeding of the sheet material.

An embodiment of the invention will now be described, by way of example only, with reference to the accompanying drawing in which:

FIGURE 1 shows schematically a section view of one embodiment of a shredder according to this invention.

The shredder 10 comprises a shredding mechanism 12, an air feeding mechanism 14 and infeed rollers 16. In this embodiment the shredding mechanism comprises a plurality of punch members 18 positioned in die members 20. The mechanism is generally as described in our co-pending application UK 0210599.7, and only the feeding mechanisms will be described further herein.

Air feeding mechanism 14 comprises a vacuum pump 22 which is connected by tubes 24 to a collection chamber 26 which contains a paper bag 28 which functions as a collection bag for shredded particles. Tubes 30 connect the collection chamber to two smaller chambers, manifolds 32, 34. Each manifold 32, 34 is arranged at the outlets of aperture channels 36, 38, which receive punch members 18 when in their advanced position.

The air flow path through the machine will now be described. Air is drawn as shown by arrows X through a feed channel 40 in the die apertures 20, which also comprises an inlet for paper being fed to the shredding mechanism 14. From the feed channel 40, when the punch members are in their retracted position, as shown in Figure 1, air flows through the aperture channels 36, 38 to the manifolds 32, 34. These manifolds 32, 34 provide a convenient way of connecting the many aperture channels 36, 38 in the die members 20. Air flows from the manifolds 32, 34 to the paper bag 28 in the collection chamber 26, and through the paper bag 28 to the vacuum pump 22.

When the punch members 18 are in their advanced position they extend past the feed channel 40 into the aperture channels 36, 38 and substantially prevent air flow through the air feeding mechanism 14.

To operate the shredder 10 a plurality of paper sheets 39 are fed into the shredding mechanism through infeed rollers 16. These rollers 16 provide the initial feed, transporting the edge of the paper to the feed channel 40. Once in the feed channel 40 the paper is subjected to a degree of suction pressure, and the high velocity of air in the infeed channel 40 draws the paper along the air

path. The velocity of the air increases as the number of sheets of paper increases since this makes the infeed channel 40 narrower and thus the effectiveness of the air feeding mechanism 40 is retained despite the larger load.

When the paper reaches the shredding mechanism 14 it is shredded, generally as described in UK 0210599.7. A plurality of small paper particles 42 are thereby generated, which are carried along the air flow path through the aperture channels 36, 38, the manifolds 32, 34 and the tubes 30 to the collection chamber 26. These then collect in the paper bag 28. Once full the paper bag 28 may be easily emptied, and the shredded particles 42 disposed of.

The suction generated by the air feeding mechanism 14 draws the paper through the shredder 10 and acts as a convenient way of collecting shredded particles 42. The air feeding mechanism can, as shown in the embodiment above, be supplemented by infeed rollers, but can also function as the sole feeding mechanism. Unlike infeed rollers it does not tend to crinkle or stretch the paper, but provides a smooth and effective feed.

Although described above in relation to a shredder it will be apparent that the air feeding mechanism outlined herein could be used in other devices, for example a printer, where sheet material must be fed past a processing head.

In the present specification "comprises" means "includes or consists of" and "comprising" means "including or consisting of".

The features disclosed in the foregoing description, or the following claims, or the accompanying drawings, expressed in their specific forms or in terms of a means for performing the disclosed function, or a method or process for attaining the disclosed result, as appropriate, may, separately, or in any combination of such features, be utilised for realising the invention in diverse forms thereof.




FIG 1